


# T-Nuts

Material:

- Steel: 817M40
- Blacked and Ground



Chuck Ø 130mm - 800mm

THAME PART No.	T-NUT TYPE	D	H	h	k	BOLT
GN 13	SINGLE	12	17	7		M8 x 20
GN 16	SINGLE	17	23	9		M12 x 30
GG 20	DOUBLE	17	23	9	22	M12 x 30
GG 16	DOUBLE	17	23	9	19	M12 x 30
GN 25	SINGLE	21	27	11		M16 x 35
GG 32	DOUBLE	21	27	11	28	M16 x 35
GG 25	DOUBLE	21	27	11	25	M16 x 35
GN 40	SINGLE	25.5	29	11		M20 x 40
GG 40	DOUBLE	25.5	29	11	35	M20 x 40

<b>FORKARDT</b>	<b>PRATT BURNERD</b>	<b>SCHUNK</b>	<b>SMW</b>
3KTH 130-33 3KTH 140-37			KDV 130
2BLE-PS 160/200; 2BLEF 200; KGGH 160/175/200; KGGH 160/175/200 KG 200; KL 160/200; KLNC 200; KP200 KS 160/200/250; KSF 175/200 KSH 160/200; KSHF 200/250; KSPS 160/200 KT 160/200; KTG 160/200; KTG 200 KTH 160/175/200; KTN 160/200 NH 160/175/200; NHF 160/175/200 QLC 160/175/200; QLC-KS 200/250; QLC-LS 160/200; QLC-AG 200; QLK 160/175/200; QLK-KS 200/250 UVE 160/200/250 NHK 250/290 (Index)	160 INTERNATIONAL 160 H S Q.C. 165 HYD. FRONT END 200 INTERNATIONAL 200 H S Q.C. 210 HYD. FRONT END 210 H S Q.C. 250 H S Q.C. 254 INTERNATIONAL 265 H S Q.C.	HSL 165/210; ROTA NC 165/210 ROTA NC-D 200; ROTA NC-F 165/210 ROTA HC-O 160/200 TH 165/210 THF 165/210	HFK 160/200 HFKS 160/200 KDV 160/200/250 KDVG 160/200/250 KFV 160/200 KFMF 160/200
2BLE 200; 2BLN 200; KG 250/315; KL 250; KLNC 250/315; KP 250/315 KS 315/400; KSH 250/315/400; KSHF 250/315/400; KSPS 250/300 KT 250/315; KTG 250/315; KTG 250/315; KTN 250/315 NH 250/257/260/315; NHF 250/315 QLC 250/315; QLC-KS 315/400; QLC-LS 250/315; QLC-AG 250/315; QLK 250/315; QLK-KS 315/400 UVE 315	250 INTERNATIONAL 254 HYD. FRONT END 305 HYD. FRONT END 305 INTERNATIONAL 305 H S QC 315 INTERNATIONAL 400 H S QC	HSG 315; HSL 250/315 ROTA NC 250 ROTA NC-D 250/315 ROTA NC-F 250 ROTA NC-F 315 ROTA NC-O 250/315 TH 250/315 THF 250/315	HFK 250/270/315 HFKS 250/315 KDV 315/400 KDVG 315/400 KFV 250/315 KFMF 250/315 KZF 200 KZF-ES 200
2BLE 250/315/400/500; 2BLE-PS 300/315/400/500 KG 400/500 KL 300/400/500; KLNC 400/500 KP 400/500 KS 500/630; KSH 500; KSHF 560/630; KSL 630 KS-PS 400 KTG 400/500/630; KTG 400/500/630 KTN 400/500/630 NH 400/500/630; NHF 400/500/630 QLC 400; QLK 400 UVE 400/500/630/800	400 INTERNATIONAL 400 HYD. FRONT END 500 HYD. FRONT END	HSL 400 ROTA NC 400/500 ROTA NC-D 400 ROTA NC-F 400/500 ROTA NC-O 400 TH 400/500 THF 400/500	HSL 400 ROTA NC-400/500 ROTA NC-D 400 ROTA NC-F 400/500 ROTA NC-O 400 TH 400/500 THF 400/500


### THAME WORKHOLDING

Field End, Thame Road, Long Crendon, Aylesbury, Bucks, HP18 9EJ England  
 Telephone: + 44 (0)1844 208050 Fax: + 44 (0)1844 201699  
 E-mail: sales@thameworkholding.com Web: www.thameworkholding.com

# T-Nuts

Material:

- Steel: 817M40
- Blacked and Ground



DOUBLE

Chuck Ø 110mm - 800mm

THAME PART No.	D	H	h	K	BOLT	HOWA
GP 03	10	15	5.5	14	M8 x 20	H01MA4 H024M5
GP 04	8	13.5	4.5	15	M6 x 18	
GR 04	11	16.5	6.5	16	M8 x 20	H027M4 H027M5
GP 05	10	18	5.5	18	M8 x 22	
GP 06	12	21	7	20	M10 x 25	H01MA6 H015M6 H024M6 H047M6 H07MA6 H022M6 H027M6 H023M8 H037M6
GP 26	12	18.5	7.5	20	M10 x 25	
GP 07	12	18.5	7.5	20	M10 x 25	H3KT
GP 08	14	23	8	25	M12 x 30	H01MA8 H07MA8 H02M8 H015M8
GP 09	14	20.5	8.2	25	M12 x 30	
GR 10	16	26.5	8.5	25	M12 x 35	H07MA10 H015M10 H022M8 H024M8 H023M 10 H027M8 H047M8 H037M8 H034M8
GP 10	16	23	8	30	M12 x 30	H01MA10 H02M10
GP 11	16	21.5	8.5	30	M12 x 30	H3KT10
GR 12	18	27.5	9.5	30	M14 x 35	H07MA12 H024M10 H023M12 H037M10 H022M10 H015M12 H027M10 H034M10
GP 12	18	33	13.5	30	M14 x 45	H01MA12 H02M12
GP 13	21	28	11.5	30	M16 x 35	
GP 14	21	30	11.5	30	M16 x 35	
GR 13	21	29	10.5	35	M16 x 35	H027M12 H037M12 H034M12 H047M12
GP 15	22	45.5	16.5	43	M20 x 55	
GR 15	26	40	17	42	M20 x 45	H027M15 H047M15
GP 21	25	45	19	60	M20 x 55	
GP 24	25	45	19	80	M20 x 55	

KITAGAWA	SAMCHULLY	SCHUNK
B204; BT204 B205; BT205	HS-04; HS-05; HST-04; HST-05	
B-04; BT04 HOB 4	HCH-04; HTH-04	
HOB 5; HOB T-5 B-05; BT05	HCH-05; HTH-05	
HJA5-6; H06; N-160; AS165 B-160; HOB-6; H05 6; HOH-160	HOH-06; HTH-06; HC-06; HCL-06 HCT-06; HCTL-06	HSL 165 (1.5x60°) ROTA NC 165(1.5x60°) ROTA NCF 165(1.5x60°)
BB206		
B206; B-06; BS306; BT206; B-07; HOH 06; HG738-165 B-106; B-7; BL206; BLT206; HOH 106; HOH 206	HS-06; HSL-06; HST-06; HH206	ROTA NCK 165
HJA 6-8; B-200; HOB 8; H05 8; AS 210 HO 8; B-08; BT08; N-200; N8; HOH-8K	HOH-08; HC-08; HCL-08; HTH-08 HCTL-08; HCT-08	HSL 210; ROTA NC 210(1.5x60°) ROTA NCF 210(1.5x60°)
B-108; BL208; BLT 208; HOH-108; HG715-210 BB208; BS308; B 208; BT 208; HOH 208	HS-08; HSL-08; HST-08; HH208	ROTA NCK 210
B-10; BT 10; HOH-10; HOB-10; AS 250; N-280; HO-10 HJAB-10; HOH 250; B-250; H05-10; HG730-254	HCH-10; HC-10; HCL-10; HTH-10; HCT-10	HSL 250; ROTA NC 250(1.5x60°) ROTA NCF 250(1.5x60°)
BB210; BS310; B-210; HOH 210 BT210; BL210; BLT210; B-110; HOH-110	HS-10; HSL-10; HST-10	ROTA NCK 250
B-300; N-300; HOH-300; HLA6-12; B-12 N-12; HJA8-12; HO-12; HOB-12; H05-12 HLA6-15; HOH-12; HLA8-15	HCH-12; HCT-12; HC-12; HCL-12; HCT-12 HCTL-12	HSL 315; ROTA NC 315(1.5x60°) ROTA NCF 315(1.5x60°)
B-212; B-112; BT-212; BL212; BLT212 HOH-112; HOH-212	HS-12; HSL-12; HST-12; HH212	ROTA NCK 315
BB212		
B-15; BT-15; B-380; B-450; HOB-15 HOH-15 HOH-380 B-18 HOB-18	HCH-15; HCH-18	HSL 400; ROTA NC 400(1.5x60°) ROTA NCF 400(1.5x60°)
HJ450; B530; HJ530; HOB21; B600 HOB24; HJ18; B21; HJ21; N21; B24; HJ24 N24; UVE-LB500/630 HOB24; HJA24; HJ24; UVB-LB800		


#### THAME WORKHOLDING

Field End, Thame Road, Long Crendon, Aylesbury, Bucks, HP18 9EJ England  
 Telephone: + 44 (0)1844 208050 Fax: + 44 (0)1844 201699  
 E-mail: sales@thameworkholding.com Web: www.thameworkholding.com

# T-Nuts

Material:

- Steel: 817M40
- Blacked and Ground



THAME PART No.	T-NUT TYPE	D	H	h	K	BOLT	MATSUMOTO (MMK)
GS 05	DOUBLE	10	16.5	5.5	19	M8 x 20	ZA5-6
GS 06*	SPLIT	11	20	7.5	-	M8 x 25	HA5-6 HH-6 HX-6 HJ-6 H-6 STC-6
GS 07	DOUBLE	11	20	7.5	25	M8 x 20	ZA5-6
GS 08*	SPLIT	14	25.5	9.6	-	M12 x 35	HA6-8 HJ-8 HX-8 HHJ-8 H-8 HH-8 STC-8
GS 09*	SPLIT	14	24.5	8.5	-	M12 x 35	ZA6-8
GS 10*	SPLIT	16	23	8	-	M12 x 30	HA8-10 H-10 HHJ-10 HH-10 HHL-10 HX-10 HJ-10 HA8-11 STC-10
GS 11	DOUBLE	16	23	8	32	M12 x 30	ZA8-10
GS 12*	SPLIT	18	30	14	-	M14 x 35	HA8-12 HJ-12 HX-12 HHJ-12 H-12 HH-12 HHL-12
GS 13	DOUBLE	18	30	14	32	M14 x 40	ZA8-12

\* Split nut type


THAME PART No.	T-NUT TYPE	D	H	h	K	BOLT	RÖHM
GE 13	SINGLE	12	17.7	7.5	-	M8 x 25	KFD 130 KFD-HE 130 KFH 140
GE 16	SINGLE	17	21	8.8	-	M12 x 30	KFD 160/200 KFH 160/200; KFL 250
GD 16	DOUBLE	17	21.5	9	19	M12X30	KFD-HS 200 LVE 200 SPD 160/215 SPO 160/215
GE 21/17	DOUBLE	21/17	25.5	11	-	M12x30	KFD-HS 250
GE 25	SINGLE	21	25	11	-	M16 x 35	KFH 250/315 KFA 200 KFD-HS 315 KFD 250/315 KFD-HF 250/315 KFD-HE 254/315 KFD 250/315 LVE 305/315 SPO 300
GE 40	SINGLE	25.5	33.7	15.5	-	M20 x 45	KFH 400/500 KFD-HE 400/500/630/800 KFD 400/500/630/800 KFD-HF 400/500/630 KFD-HS 400/500 KFL 500/600 LVE 400/500/630/1 000 KFA 250/315

THAME PART No.	T-NUT TYPE	D	H	h	K	BOLT	GAMET	NIKKO-SUGA	RÖHM
GO 06	SINGLE	11	14.5	6.5	-	M8 x 20	130 N 130 MO 160 GO 160 N 160 MO 170 MF	HF-5 M0-5 HG-5 HF-6AB GO-6 HG-6AB HDM 165 MO-6	KFN 130/160 KFE 170 KFG 160 KFM 130/160
GO 08	SINGLE	14	15.5	6.5	-	M10 x 20	215 N 215 MO 215 GO 215 MF	HF-8 M08 HG-8 GO-8 MAC 165 HDM-215	KFN 215 KFM 215 KFG 215 KFE 215
GO 11	SINGLE	20	21.5	8.25	-	M12 x 30	250 N 280 N 280 MF 280 MO 280 GO	HF-10 HF-12 HG-10 MO10/12 GO-10/12 HDM 250/310	KFN 250 KFN 280 KFM 280 KFG 280 KFE 280
GO 14	SINGLE	21	25.5	11	-	M16 x 35	350 N 350 MO 350 GO 350 MF	HF-14 HF-16 MO14 MAC 250/315 HDM 250/280	KFM 350 KFG 350 KFE 280

# T-Nuts

Material:

- Steel: 817M40
- Blacked and Ground



THAME PART No.	T-NUT TYPE	D	H	h	K	BOLT	SCHUNK	SMW
GH 13	SINGLE	11	21.5	7.5	-	M8 x 30	TP125	125 SP 125 STWP
GH 16	SINGLE	14	26.5	9.5	-	M10 x 35	TP160	160 SP 160 STWP 160 STP
GH 20	SINGLE	17	27.5	9.5	-	M12 x 35	TP200	200 SP 200 STWP 200 STP
GH 25	SINGLE	21	30	11	-	M14 x 35		250/315 SP 250/315 STWP 250/315 STP
GH 26	SINGLE	21	30	11	-	M16 x 35	TP250/315	

THAME PART No.	T-NUT TYPE	D	H	h	K	BOLT	SMW-AUTOBLOK
GF 17	SINGLE	14	20	7.5	-	M10 x 25	GHDN 165/170; GHD-FC 165; HDB170; HDL 170; HDN 170 IDL 170; IDN 170; ODN 170;
GF 18	DOUBLE*	14	18.5	6.5	16.5	M10 x 20	AL-D 165; AN-D 165; BB-D 165; BH-D 165; BHD-FC 165
GF 181	SINGLE*	14	18.5	6.5		M10 x 25	HB-D 165; HFKN-D 165; HYDN-S 180; PB-D 165; PBI-D 165
GF 182	DOUBLE*	14	18.5	6.5	20	M10 x 25	RC-D 165;
GF 183	DOUBLE*	14/12	18.5	6.5	20	M10 x 25	AN-M165; AL-M 165; BH-M 165; BHM-FC 165; PB-M 165 HB-M 165; BB-M 175; HFKN-M 165
GF 20	SINGLE	17	22	8	-	M12 x 30	GHDN 210; GHD-FC 210; HBD 200; HDL 200; HDN 200 IDL 200; IDN 200; ODN 200; IMN 200; IML 200; CD200
GF 21	DOUBLE*	17	20.5	7.5	23	M12 x 25	AL-D 210; AN-D 210; BB-D 210; BH-D 210
GF 211	SINGLE*	17	20.5	7.5	-	M12 x 25	HYDN-S 210/226; PB-D 210; PBI-D 210
GF 212	DOUBLE*	17	20.5	7.5	22	M12 x 25	BHD-FC 210; HB-D 210; HFKN-D 210; RC-D 210
GF 213	DOUBLE*	16/14	20.5	7.5	25	M12 x 30	AN-M 210; AL-M 210; BH-M 210; BH-FC 210; RC-M 210 PB-M 210; PBI-M 210; HB-M210; BB-M210
GF 25	SINGLE	21	25	11	-	M16 x 30	GHD-N 250/315/400; GHD-FC 250/305/400 HDB 300; HDL 250/315/400; HDN 250/315/400 IDL 250/315/400; IDN 250/315/400; ODN 250/315/400
GF 26	DOUBLE*	21	26.5	10	30	M16 x 35	BHD 250/315; RCD 250/315; BBD 250/315; AND 250/315 ALD 250/315; HBD 250/315
GF 261	SINGLE*	21	26.5	10	-	M16 x 35	AN-D 260/315; AL-D 260/315; BB-M 315; BH-M 315;
GF 262	DOUBLE*	21	26.5	10	28	M16 x 35	BHM-FC 315; HB-M 315; PB-M 315; HFKN-D 260/315
GF 263	DOUBLE*	21/16	26.5	10	30	M12 x 35	AN-M 250; AL-M 250; BH-M 250; BH-FC 250; RC-M 250; PB-M 250; PBI-M 250; HB-M 250; BB-M 250

## • Berg T-Nut System T-Bolt

THAME PART No.	D	H	h	THREAD
GB 10	10	20.3	9.3	M10
GB 12	12	23.2	9	M12
GB 16	16	26.7	12	M16
GB 20	20	32.7	16	M20

## Nut

THAME PART No.	H	D	A/F	THREAD	BERG
GC10	16	16	8.1	M10	KH 140/160
GC 12	19	17.8	10.1	M12	KH 175/200
GC16S	25	24.5	14.1	M16	KH 250/315
GC 20	32	32	22.1	M20	KH 400/500/630

### THAME WORKHOLDING

Field End, Thame Road, Long Crendon, Aylesbury, Bucks, HP18 9EJ England  
 Telephone: + 44 (0)1844 208050 Fax: + 44 (0)1844 201699  
 E-mail: sales@thameworkholding.com Web: www.thameworkholding.com